

Bradford™ Black



The natural choice for home insulation.



SOFT TO TOUCH



EASY TO INSTALL



AUSTRALIAN MADE



HYPOALLERGENIC

A *different* kind of insulation



Bradford Black, the comfortable choice for installers.

COMFORT AND ENERGY EFFICIENCY

Acting as a barrier to heat flow through the walls and ceilings of a home, insulation is the most cost-effective way of making Australian homes more comfortable and energy efficient.

In doing so, it allows homes to achieve a comfortable internal temperature with less need for artificial heating and cooling, helping to reduce energy bills which is good for the environment and great for the hip pocket.



INSTALLATION IS EASY FOR DIY, TRADIES AND BUILDERS

Batts are tightly compressed into lightweight packs for easy transport and storage. They retain their shape and rigidity for easier installation, and are low itch and soft to touch.



PERFORMANCE YOU CAN TRUST

As leaders in the field of insulation, sarking and ventilation solutions, Bradford have a product to suit any type of insulation job. Our experience, combined with our world class manufacturing technology is our guarantee of quality and performance.

For ultimate peace of mind, choosing a Bradford product means you can enjoy the most comprehensive warranty in the industry, backed by Australia's leading building products company, CSR.

WHAT MAKES BRADFORD BLACK SO DIFFERENT?

- Soft to touch and comfortable to handle
- Retains its shape as it is installed
- Made with non-harmful natural binders
- Does not contain any volatile organic compounds (VOC)
- No ozone depleting products are used in its manufacture



Bradford Black is a different kind of insulation. It's made with safe organic binders in a revolutionary manufacturing process that produces a high performance, low itch, hypoallergenic insulation.



SOFT TO TOUCH



AUSTRALIAN MADE



EASY TO INSTALL



HYPOALLERGENIC

THE BEST PRODUCT FOR THE JOB

Bradford Black insulation is manufactured in Australia under ISO 9002 Quality Systems and complies with AS/NZS4859.1 'Materials for the Thermal insulation of Buildings'. Bradford Black is non combustible. It achieves the best possible fire rating when tested to AS/NZS1530.3.

BRADFORD BLACK PRODUCT RANGE

| R-VALUE | THICKNESS (mm) | STANDARD SIZE (mm) | PIECES PER PACK | m ² PER PACK | COVERAGE PER PACK (m ²) | MULTI PACK | PRODUCT CODE |
|----------------------|----------------|--------------------|-----------------|-------------------------|-------------------------------------|------------|--------------|
| WALL BATTS | | | | | | | |
| R1.5 | 75 | 1160 x 430 | 22 | 11.0 | 12.5 | 7 | 153052 |
| R1.5 | 75 | 1160 x 580 | 22 | 14.8 | 16.7 | 7 | 153030 |
| R2.0 | 90 | 1160 x 430 | 22 | 11.0 | 12.5 | 5 | 153029 |
| R2.0 | 90 | 1160 x 580 | 18 | 12.1 | 13.6 | 6 | 153028 |
| R2.5 (HP) | 90 | 1160 x 420 | 8 | 3.9 | 4.5 | 5 | 154933 |
| R2.5 (HP) | 90 | 1160 x 570 | 8 | 5.3 | 6.0 | 5 | 154951 |
| CEILING BATTS | | | | | | | |
| R3.0 | 165 | 1160 x 430 | 16 | 8.0 | 9.0 | 6 | 182792 |
| R3.0 | 165 | 1160 x 580 | 16 | 10.8 | 12.2 | 6 | 182791 |
| R3.5 | 185 | 1160 x 430 | 16 | 8.0 | 9.0 | 5 | 153056 |
| R3.5 | 185 | 1160 x 580 | 10 | 6.7 | 7.6 | 8 | 153055 |
| R4.1 | 205 | 1160 x 430 | 10 | 5.0 | 5.6 | 7 | 153054 |
| R4.1 | 205 | 1160 x 580 | 10 | 6.7 | 7.6 | 7 | 153053 |
| R5.0 (HP) | 240 | 1160 x 430 | 8 | 4.0 | 4.5 | 5 | 166915 |
| R5.0 (HP) | 240 | 1160 x 580 | 8 | 5.4 | 6.1 | 5 | 166914 |

For further information call **1300 850 305**
or visit **bradfordblack.com.au**



CSR Bradford Locked Bag 1345 North Ryde BC NSW 1670
bradfordinsulation.com.au



CSR Bradford

CSR Bradford is a business division of CSR Building Products Limited ABN 55 008 631 356.

The contents of this brochure are copyright protected and may not be reproduced in any form without prior written consent of CSR Bradford. Recommendations and advice regarding the use of the products described in this brochure are to be taken as a guide only, and are given without liability on the part of the company or its employees. We reserve the right to change product specifications without prior notification, please refer to the CSR Bradford website for the latest revision of this document. The purchaser should independently determine the suitability of the product for the intended use and application.

